WAWA LIGHT 4.0



Product Parameters

Product name	WaWa Light 4.0
Model	BCT-WW4.0
Solar panel	50W (Mono)
Battery	3.2V/45(±5)Ah LiFePO4 Battery
Light power	2200lm
Lighting time	6+X/Intelligent power control, and can use remote control to adjust brightness and working mode.
Gross weight	7.56kg

Lamp life	100000 hours
Lamp size	194×147×61 mm
Lamp carton size	528×400×238mm (8 pc/carton)

Beam angle	bat wing 150*70°
CRI	Ra70
Color temperature	6500K,4000K
IP rating	IP65
IK level	IK08
Operating temperature	-40°C~70°C
Working humidity	10%~90%

*Note: The above data are typical values. The actual product weight will have an error of about 5%.


Building A, International Fortune Center, Rizhao City, Shandong Province, China
 https://www.bluecarbontech.com.cn/en/ | https://bluecarbon.solar


Product Display




Product Size:

• Lamp head size chart Unit:mm





Product Details Display



1、 PC Outdoor Optical Lens



High light transmittance, high temperature resistance and aging resistance.

- 2、Waterproof Ring
- 3、 Imported High LED Lamp Beads




Imported high lumen LED chips,with 100,000 hrs life span.

4. Control & Drive Integrated Lamp Board

► IES





5、LiFePO4 Battery



Super endurance, high and low temperature resistance, long cycle life.


- 6、Gold Plated Plug
- 7. Aluminum Magnesium Alloy Lamp Case



High quality aluminum magnesium alloy, anti-corrosion and high heat dissipation.

8、Bracket

BCT-WW4.0



- +86-0633-2190373
- 🖉 Building A, International Fortune Center, Rizhao City, Shandong Province, China
- https://www.bluecarbontech.com.cn/en/ https://bluecarbon.solar
 https://bluecarbon.solar
 https://bluecarbon.solar
 https://bluecarbon.solar
 https://bluecarbon.solar
 https://bluecarbon.solar
 https://bluecarbon.solar
 https://bluecarbon.solar
 https://bluecarbon.solar
 https://bluecarbon.solar

- Original patent design, independent mould.
- All night lighting. The light never be off no matter how manyrainy or cloudy days.
- The light can be installed from Equator area to Polar regions. The working temperature is -40-70°C
- Integrated design, modular production.
- O Low voltage design, safe and Reliable.
- Integrated package, convenient transportation.

Installation Case

Applicable place:

It is widely used in streets and roads, residential areas, scenic spots, parks, squares, private gardens and other public places.

The product is easy to install, no auxiliary lines required, energy saving and environmental protection, no electricity charge, long service life.

WaWa Light3.0/4.0





+86-0633-2190373
 Building A, International Fortune Center, Rizhao City, Shandong Province, China
 https://www.bluecarbontech.com.cn/en/ | https://bluecarbon.solar





🔺 Hunan, China

🔺 Shanxi, China

Hunan, China 🔺




🔺 Iran

Xinjiang, China 🔺



▲ Shandong, China



▲ Shanxi, China







🔺 Sri Lanka